U.S. Naval Air Development Center

Johnsville, Pennsylvania

NADC-MR-6619

30 September 1966

CAMOUFLAGE PRINTING OF NOMEY SUMMER FLYING COVERALLS

Naval Air Systems Command Weptask RAE 20J 010/2021/F012 10 02 Problem Assignments J44 AE22-7 and 010-AE22-13

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

CLEARINGHOUSE FOR FEDERAL SCIENTIFIC AND TECHNICAL INFORMATION

Hardcopy Micrefiche

ARCHIVE



Limitations concerning the distribution of this report and revelation of its contents appear on the inside of this cover.



DEPARTMENT OF THE NAVY U. S. NAVAL AIR DEVELOPMENT CENTER

JOHNSVILLE WARMINSTER, PA. 16974

> MR 6502 30 Scotember 1966

From:

Commanding Officer, U.S. Naval Air Development Center, Johnsville,

Warminster, Pennsylvania 18974

To:

Chief, Naval Air Systems Command

Subject: NADC-MR-6619: Weptask RAE 20J 010/2021/F012 10 02, Problem Assignment J44 AE22-7, 010-AE22-13, Camouflage Printing of Nomex Summer

Flying Coveralls; letter report concerning

Ref:

(a) BuWeps ltr RAAE-2211/258:RCB 15 March 1965

(b) MCLFDC Project #51-64-02, Flight Clothing and Survival

Equipment. Third Interim Report

Encl:

(1) Table I: Comparative Temperature Rise

- 1. The purpose of the present study was to determine the effectiveness of camouflage print coveralls as compared to the standard plain olive green garment. Reference (a) stated that the Navy will deliver to the Marine Corps Landing Force Development Center (MCLFDC) 40 staple Nomex summer flying coveralls printed with the ERDL 1948 pattern and colors and as a control 40 of the standard suits. Therefore, under the authority of the subject problem assignments, this laboratory undertook the procurement and delivery of these items. In addition, seven camouflage and two olive green coveralls were delivered for combat evaluation to Helicopter Squadron-261 in Viet Nam.
- 2. The coveralls were manufactured according to specifications supplied by the Air Crew Equipment Branch of the Naval Air Engineering Center incorporating part #NAEC Sp1-100, a prototype of the present suit (MIL-C-81126B). Three oz/yd2 staple, herringbone weave fabric was used for both the plain and the camouflage coveralls. The camouflage pattern was roller printed with the four-color U.S. Army camouflage pattern in a resin-bonded pigment system. This pattern, developed jointly by the U.S. Army Laboratory, Natick, Mass. and the Army Corps of Engineers, Fort Belvoir, Va. and formerly known as the ERDL 1948 pattern, consists of black, brown, dark green and light green areas completely covering the original material. Because the camouflaged fabric was produced on a "best effort" basis by the Cranston Print Works, no opportunity was available for controlling fabric characteristics such as shrinkage, color fastness, hand, etc.
- Flammability and heat transfer studies were conducted on the camouflage fabric and compared with those on the plain fabric to determine the effect of print dyes on the thermal properties of Nomex. From the results (enclosure (1)) it is seen that, although the heat transfer is slightly greater after application of the camouflage, this increase is not significant in terms of degradation of the flame resistant characteristics of the fabric or of the thermal protection that the material provides.

- 4. The overall opinion expressed by the nine pilots in Viet Nam, (a Navy Medical Unit) was very favorable; the suit was comfortable temperature-wise, easily laundered and quite acceptable, however it was felt that much improvement could be realized from a few minor design changes. It was noted that:
 (a) the wrist sleeves were too tight to roll back and therefore were often altered, (b) the flaps on the zippers were tacked down; the pilots preferred that the zipper flaps be open on three sides, (c) the lower left leg pocket flap caught on the helicopter collective, an occurrence considered dangerous. The camouflage pattern was considered good though somewhat too bright. Finally, all the pilots considered the texture of the camouflage cloth rough but "to a minimal degree". No dermatological problems were encountered.
- 5. The MCLFDC report, reference (b), discusses the test procedures followed in evaluating the coveralls, the features considered, and the results. The camouflage suits were examined to determine comfort, durability, compatibility with various aircraft, escape/evasion qualities and suitability for Marine Corps aviation use. The coveralls were considered excellent insofar as comfort, construction, durability, color-fastness and retention of flame resistance after repeated washings. However, shrinkage on washing was considered to be excessive, and the design of the coverall was found deficient in several aspects:

 (a) sleeve cuffs too tight, (b) zipper flap-covers made pockets inaccessible, (c) legs and crotch too long and bulky, (d) absence of knife pocket. The report stated that "correction of these deficiencies is essential" to make the suit acceptable and further recommends that if the suit is finally accepted, two should be issued to each person.
- 6. The concealment capability of the camouflage in direct comparison with the control suits was assessed visually in the field. In a green leafy environment the camouflage item provided slightly more concealment than the olive green control, while in an environment predominantly brown, both suits contrasted sharply with the background. The latter finding is not surprising since there is no light brown whatever in the camouflage pattern and dark green, a strongly contrasting color, is the basic one in both suits. Indeed, it is extremely doubtful that any pattern could be universally highly effective, for that pattern which blends well in one environment must stand out in an environment predominated by a contrasting color.
- 7. It is concluded from the laboratory tests on the camouflage fabric and from the field reports that (a) Camouflage printing of staple Nomex in a resin-bonded pigment system does not significantly alter the flame-resistant characteristics of Nomex, (b) The camouflage system considered here offers very little advantage over the ordinary olive-green Nomex suits in concealment in green leafy areas and neither suit contributes to concealment in predominantly brown surroundings.

8. In light of the recommendations made in the MCLFDC report and the results of the laboratory studies it is recommended that: (a) Cognizant authority carefully weigh the small advantages gained in the camouflage versus the control suit against the extra expense of manufacturing the suit and the logistics involved in issuing yet another piece of gear. (b) The design of the coverall be studied, keeping in mind the changes suggested in the MCLFDC report (returence (b)). (c) This phase of the Problem Assignments be considered completed and terminated with this report.

This report was prepared by Maria A. Chianta, reviewed by Alice M. Stoll, and approved by Carl F. Schmidt, Research Director, Aerospace Medical Research Department.

E. M. WURSEL By Direction

Copy to:

Chief, NAVAIRSYSCOM (AIR 531)	(4)
Chief, NAVAIRSYSCOM (AIR 5311G)	(1)
Chief, NAVAIRSYSCOM (AIR 5311A)	(10)
Chief, BuMed (Code 711)	(2)
ACEL	(1)
Wright-Patterson AFB (ASNPCB)	(2)
NAEC AML Attn: Miss Hays	(1)
Wright-Patterson AFB ASD	(1)
DDC	(20)
NAVAIRSYSCOM (AIR-604)	(1)
U.S. Army Natick Lab. Natick, Mass.	
(Clothing Division)	(1)

TABLE I

COMPARATIVE TEMPERATURE RISE

Sample (Staple Nomex)	Thickness (mm)	Temp. Rise
Control		
Olive Green	0.315*	17.74
Camouflage		
Dark Green	0.319	19.36
Light Green	0.317	18.17
Brown	0.312	18.18
Black	0.310	19.47

 $H = Thermal flux in cal/cm^2/sec.$

Enclosure (1)

^{* =} Average of 5 readings

UNCLASSIFIED
Security Classification

DOCUMENT CONTROL DATA - R&D (Security electrical and title, body of abeliant and indexing amostation amost be entered when the e-coal region is also allies.)					
1. ORIGINATING ACTIVITY (Corporate #alhor)		SH. REPORT SECURITY C LASSIFICATION			
Aerospace Medical Research Department		Unclassified			
U.S. Naval Air Development Center		16 GROU			
Johnsville, Warminster, Pa.					
3. REPORT TITLE					
Camouflage Printing of Nomex Summer F.	lying Coverall	s.			
4. DESCRIPTIVE NOYES (Type of report and inclusive dates) Final Report					
S. AUTHOR(S) (Lest name, first name, initial)					
Chianta, Maria A.					
6. REPORT DATE	74. TOTAL NO. OF	PAGES	78. NO. OF REPS		
·	4		2		
BA. CONTRACT OR BRANT NO.	De. CRIGINATOR'S	REPORT NUM	BER(\$)		
& PROJECT NO.	NADC-MR-6619				
Weptask RAE 20J 010/2021/F012 10 02 Problem Assignment J44 AE22-7 and 010-AE22-13, d.	9 b. OTHER REPORT NO(8) (Any other members that may be assigned this report)				
10. AVAILABILITY/LIMITATION HOTICES		_ 			
DISTRIBUTION OF THIS DOCUMENT IS UNLIN	MITEĎ.				
11. SUPPLEMENTARY NOTES	12. SPONSORING MIL	ITARY ACTI	VITY		
13. ABSTRACT	<u> </u>		····		
An investigation was carried Nomex summer flying coveralls printed the standard plain olive green coveral camouflage printing of staple Nomex in significantly alter the flame-resistar with Marine units showed that the camouittle advantage over the ordinary oligreen leafy areas and neither suit combrown surroundings.	with a camouf. Ils. Laborator n a resin-bonde nt characterist ouflage system ive-green Nomes	lage patt ry tests ed pigmer tics of N consider c suits i	tern as compared with indicated that in the system does not work for the system of the system of the system of the system of the system concealment in		

DD .5084. 1473

UNCLASSIFIED
Security Classification

Security Classification

14	4 KEY WORDS	LIN	KA	LINK B		LINK C	
		ROLE	W T	POLE	WT	ROLE	WT
		1	ĺ	1		1	
1.	Summer Flying Coveralls	1	ĺ			i .	
2.	Nomex Coveralls	1	ł			ł	
3.	Flame Resistant Coveralls	f	1	l		ł	
4.	Camouflage Coveralls	ł	ļ	}		9	ł
, ,	Comparting Covernation	- 1	}			1]
		l					
		í				1	{
			Ì	ĺ		Ĭ	
			Ì			l	
		l		1		ł	}
		1				ŀ	
		1	}]		}]
		ļ]]		ļ	
			1	1			

INSTRUCTIONS

- 1. ORIGINATING ACTIVITY: Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (corporate author) issuing the report.
- 2e. REPORT SECURITY CLASSIFICATION: Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.
- 25. GROUP: Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.
- 3. REPORT TITLE: Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.
- 4. DESCRIPTIVE NOTES: If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.
- 5. AUTHOR(S): Enter the name(s) of author(s) as shown on or in the report. Enter tast name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.
- 5. REPORT DATE: Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.
- 7a. TOTAL NUMBER OF PAGES: The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.
- 7b. NUMBER OF REFERENCES: Enter the total number of references cited in the report.
- 8a. CONTRACT OR GRANT NUMBER: If appropriate, enter the applicable number of the contract or grant under which the report was written.
- 85, 8c, & 8d. PROJECT NUMBER: Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.
- 9s. ORIGINATOR'S REPORT NUMBER(S): Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.
- 9b. OTHER REPORT NUMBER(S): If the report has been assigned any other report numbers (either by the originator or by the aponeor), also enter this number(s).
- 13. AVAILABILITY/LIMITATION NOTICES: Enter any limitations on further dissemination of the report, other than those

imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through
- (4) "U. S. military agencies may obtain copies of this report directly from DL ... Other qualified users shall request through
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

- 11. SUPPLEMENTARY NOTES: Use for additional explanatory notes.
- 12. SPONSORING MILITARY ACTIVITY: Enter the name of the departmental project office or laboratory sponsoring (paying for) the research and development. Include address.
- 13. ABSTRACT: Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14 KEY WORDS: Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military grafect code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, rales, and weights is optional.

DD 5884 1473 (BACK)

and rechifed

Camilla Classification